

ODENSE

4V PREMIUM BEVEL



length	width	thickness	unique planks	panels / pack	m ² / pack	pack / pallet	m ² / pallet
2050 mm	240 mm	9,5 mm	16	6	2,952 m ²	33	97,416 m ²



CLAY OAK
 ● PRO L0263-06791
 ● L0363-06791



OATMEAL OAK
 ● PRO L0263-06792
 ● L0363-06792




MALT OAK
 ● PRO L0263-06793
 ● L0363-06793



CLOUDED OAK
 ● PRO L0263-06794
 ● L0363-06794



CLEAR OAK
 ● PRO L0263-06795
 ● L0363-06795



VIBRANT OAK
 ● PRO L0263-06796
 ● L0363-06796



DUSK OAK
 ● PRO L0263-06797
 ● L0363-06797



FOLK
 ● PRO L0263-06798
 ● L0363-06798



GLACIER OAK
 ● PRO L0263-06799
 ● L0363-06799



SOLSTICE OAK
 ● PRO L0263-06800
 ● L0363-06800



BEAUFORT OAK
 ● PRO L0263-06801
 ● L0363-06801



RUSTIC CHARM
 ● PRO L0263-06802
 ● L0363-06802



RUSTIC SMOKE
 ● PRO L0263-06803
 ● L0363-06803

ODENSE MATCHING ACCESSORIES



STANDARD SKIRTING



PARQUET SKIRTING



**5-IN-1 INCIZO®
PROFILE**



**COMMERCIAL
EXPANSION PROFILE**



COLOURED SEALANT

ART. NO DIMENSIONS	PGSK(-) 2400 × 12 × 58 mm	PGPSK(-) 2400 × 14 × 77 mm	PGINCP(-) 2150 × 13 × 48 mm	PGEXPC(-) 2350 × 50 × 9,5 mm	PGKIT(-)B 310 ml
L0x63-06791	06791	06791	06791	06791	PGKIT18B
L0x63-06792	06792	06792	06792	06792	PGKIT18B
L0x63-06793	06793	06793	06793	06793	PGKIT10B
L0x63-06794	06794	06794	06794	06794	PGKIT02B
L0x63-06795	06795	06795	06795	06795	PBKIT09B
L0x63-06796	06796	06796	06796	06796	PGKIT09B
L0x63-06797	06797	06797	06797	06797	PGKIT04B
L0x63-06798	06796	06796	06796	06796	PGKIT09B
L0x63-06799	06799	06799	06799	06799	PGKIT19B
L0x63-06800	06800	06800	06800	06800	PGKIT09B
L0x63-06801	06801	06801	06801	06801	PGKIT10B
L0x63-06802	06802	06802	06802	06802	PGKIT10B
L0x63-06803	06803	06803	06803	06803	PGKIT17B

INCIZO® SUBPROFILE | NEINCPBASE6 | 2150 × 71 × 20 mm
The Incizo® subprofile is required for stair application
and has to be ordered separately.

NEW
LILLEHAMMER

4V PREMIUM BEVEL



length	width	thickness	unique planks	panels / pack	m ² / pack	pack / pallet	m ² / pallet
1380 mm	212 mm	9 mm	18	7	2,048 m ²	52	106,500 m ²



HAZELWOOD OAK*
 ● PRO L0274-08303
 ● L0374-08303



IVORY OAK*
 ● PRO L0274-08304
 ● L0374-08304



SILK OAK*
 ● PRO L0274-08305
 ● L0374-08305



CHESTNUT GLOW OAK
 ● PRO L0274-08306
 ● L0374-08306



BRONZE OAK
 ● L0374-08307



AMBERGRAIN OAK
 ● PRO L0274-08308
 ● L0374-08308



HARVEST OAK
 ● L0374-08309




AUBURN OAK
 ● PRO L0274-08310
 ● L0374-08310

* The following 3 references are a 100% match to the Kungshamn references:

- L0x44-08303 → L0372-08244
- L0x44-08304 → L0372-08246
- L0x44-08305 → L0372-08248

LILLEHAMMER MATCHING ACCESSORIES



**STANDARD
SKIRTING**

**PARQUET
SKIRTING**

**5-IN-1 INCIZO®
PROFILE**

**COMMERCIAL
EXPANSION
PROFILE**

**STAIR COVER -
BULLNOSE**

**COLOURED
SEALANT**

ART. NO DIMENSIONS	PGSK(-) 2400 × 12 × 58 mm	PGPSK(-) 2400 × 14 × 77 mm	PGINCP(-) 2150 × 13 × 48 mm	PGEXPC(-) 2350 × 50 × 9,5 mm	PGSTRBLIL(-) 1200 × 135 × 59 mm	PGKIT(-)B 310 ml
L0x74-08303	08256	08256	08256	08256	08303	PGKIT10B
L0x74-08304	08246	08246	08246	08246	08304	PGKIT02B
L0x74-08305	08305	08305	08305	08305	08305	PGKIT02B
L0x74-08306	08306	08306	08306	08306	08306	PGKIT09B
L0374-08307	08307	08307	08307	08307	08307	PGKIT15B
L0x74-08308	08308	08308	08308	08308	08308	PGKIT02B
L0374-08309	08309	08309	08309	08309	08309	PGKIT09B
L0x74-08310	08310	08310	08310	08310	08310	PGKIT04B

INCIZO® SUBPROFILE | NEINCPBASE11 | 2150 × 71 × 20 mm
The Incizo® subprofile is required for stair application
and has to be ordered separately.

UPDATE
VISBY

4V PREMIUM BEVEL



length	width	thickness	unique planks	panels / pack	m ² / pack	pack / pallet	m ² / pallet
1380 mm	190 mm	8 mm	20	7	1,835 m ²	60	110,100 m ²



NEW ENGLAND OAK
 ● PRO L0271-03369
 ● L0371-03369



FARMHOUSE OAK
 ● PRO L0271-03371
 ● L0371-03371



COASTAL OAK
 ● PRO L0271-03374
 ● L0371-03374



MIDSUMMER LIGHT OAK
 ● L0371-08295



SUNWASH OAK
 ● PRO L0271-08296
 ● L0371-08296



AMBERLIGHT OAK
 ● L0371-08297



DRIFTWOOD BROWN OAK
 ● L0371-08298



CLAYSTONE OAK
 ● L0371-08299



SMOKEWOOD OAK
 ● PRO L0271-08300
 ● L0371-08300



SAND DRIFT OAK
 ● PRO L0271-08301
 ● L0371-08301




BLUSH OAK
 ● L0371-08302



LINEN GREY OAK
 ● L0371-08474

VISBY MATCHING ACCESSORIES



**STANDARD
SKIRTING**

**PARQUET
SKIRTING**

**5-IN-1 INCIZO®
PROFILE**

**COMMERCIAL
EXPANSION
PROFILE**

**STAIR COVER -
BULLNOSE**

**COLOURED
SEALANT**

ART. NO DIMENSIONS	PGSK(-) 2400 × 12 × 58 mm	PGPSK(-) 2400 × 14 × 77 mm	PGINCP(-) 2150 × 13 × 48 mm	PGEXPC(-) 2350 × 50 × 9,5 mm	PGSTRBVIS(-) 1330 × 113 × 59 mm	PGKIT(-)B 310 ml
L0x71-03369	03369	03369	03369	03369	03369	PGKIT18B
L0x71-03371	03371	03371	03371	03371	03371	PGKIT15B
L0x71-03374	03374	03374	03374	03374	03374	PGKIT02B
L0371-08295	08295	08295	08295	08295	08295	PGKIT02B
L0x71-08296	08296	08296	08296	08296	08296	PGKIT02B
L0371-08297	08297	08297	08297	08297	08297	PGKIT09B
L0371-08298	08298	08298	08298	08298	08298	PGKIT10B
L0371-08299	08299	08299	08299	08299	08299	PGKIT02B
L0x71-08300	08300	08300	08300	08300	08300	PGKIT09B
L0x71-08301	08301	08301	08301	08301	08301	PGKIT02B
L0371-08302	08302	08302	08302	08302	08302	PGKIT10B
L0371-08474	08474	08474	08474	08474	08474	PGKIT18B

INCIZO® SUBPROFILE | NEINCPBASE8 | 2150 × 71 × 20 mm
The Incizo® subprofile is required for stair application
and has to be ordered separately.

NEW
KUNGSHAMN

4V PREMIUM BEVEL



length	width	thickness	unique planks	panels / pack	m ² / pack	pack / pallet	m ² / pallet
655 mm	131 mm	8 mm	56	14	1,201 m ²	84	100,884 m ²



HAZELWOOD OAK*

● L0372-08244



IVORY OAK*

● L0372-08246




SILK OAK*

● L0372-08248



HERITAGE OAK

● L0372-08249



CRAFT OAK

● L0372-08250



SMOKED AMBER OAK

● L0372-08251

* The following 3 references are a 100% match to the Lillehammer references:

L0372-08244 → L0x44-08303

L0372-08246 → L0x44-08304

L0372-08248 → L0x44-08305

KUNGSHAMN MATCHING ACCESSORIES



STANDARD SKIRTING

PARQUET SKIRTING

**5-IN-1 INCIZO®
PROFILE**

**COMMERCIAL
EXPANSION PROFILE**

COLOURED SEALANT

ART. NO	PGSK(-)	PGPSK(-)	PGINCP(-)	PGEXPC(-)	PGKIT(-)B
DIMENSIONS	2400 × 12 × 58 mm	2400 × 14 × 77 mm	2150 × 13 × 48 mm	2350 × 50 × 9,5 mm	310 ml
L0372-08244	08256	08256	08256	08256	PGKIT10B
L0372-08246	08246	08246	08246	08246	PGKIT02B
L0372-08248	08305	08305	08305	08305	PGKIT09B
L0372-08249	08249	08249	08249	08249	PGKIT09B
L0372-08250	08250	08250	08250	08250	PGKIT04B
L0372-08251	08251	08251	08251	08251	PGKIT10B

BERGEN

4V PREMIUM BEVEL



length	width	thickness	unique planks	panels / pack	m ² / pack	pack / pallet	m ² / pallet
1380 mm	156 mm	8 mm	12	8	1,722 m ²	60	103,320 m ²



COMFORT GREY OAK
 ● PRO L0246-05007
 ● L0346-05007



RAILWAY OAK
 ● PRO L0246-05008
 ● L0346-05008



COLOGNE OAK
 ● PRO L0246-05009
 ● L0346-05009



PIER OAK
 ● PRO L0246-05010
 ● L0346-05010



VIENNA OAK
 ● PRO L0246-05011
 ● L0346-05011



PORTMAN WALNUT
 ● PRO L0246-05012
 ● L0346-05012



RED CLAY TEAK
 ● PRO L0246-05021
 ● L0346-05021



TROMSDALEN OAK
 ● PRO L0246-05022
 ● L0346-05022

BERGEN MATCHING ACCESSORIES



STANDARD SKIRTING



PARQUET SKIRTING



**5-IN-1 INCIZO®
PROFILE**



**COMMERCIAL
EXPANSION PROFILE**



COLOURED SEALANT

ART. NO DIMENSIONS	PGSK(-) 2400 × 12 × 58 mm	PGPSK(-) 2400 × 14 × 77 mm	PGINCP(-) 2150 × 13 × 48 mm	PGEXPC(-) 2350 × 50 × 9,5 mm	PGKIT(-)B 310 ml
L0x46-05007	05007	05007	05007	05007	PGKIT16B
L0x46-05008	05008	05008	05008	05008	PGKIT10B
L0x46-05009	05009	05009	05009	05009	PGKIT04B
L0x46-05010	05010	05010	05010	05010	PGKIT09B
L0x46-05011	05011	05011	05011	05011	PGKIT09B
L0x46-05012	05012	05012	05012	05012	PGKIT15B
L0x46-05021	05021	05021	05021	05021	PGKIT14B
L0x46-05022	05022	05022	05022	05022	PGKIT02B

INCIZO® SUBPROFILE | NEINCPBASE8 | 2150 × 71 × 20 mm
The Incizo® subprofile is required for stair application and has to be ordered separately.

DRAMMEN

4V OPTICAL BEVEL



length	width	thickness	unique planks	panels / pack	m ² / pack	pack / pallet	m ² / pallet
1200 mm	190 mm	8 mm	10	7	1,596 m ²	64	102,144 m ²



BROWN LEATHERED OAK
● L0348-05013



SANDWAVE OAK
● L0348-05014



WHITE GLOOM OAK
● L0348-05015



ISLA OAK
● L0348-05016



RICARD OAK
● L0348-05017



CAPPUCCINO OAK
● L0348-05018



CORNWALL OAK
● L0348-05019



DARTMOOR OAK
● L0348-05020

DRAMMEN MATCHING ACCESSORIES



STANDARD SKIRTING



PARQUET SKIRTING



**5-IN-1 INCIZO®
PROFILE**



**COMMERCIAL
EXPANSION PROFILE**



COLOURED SEALANT

ART. NO DIMENSIONS	PGSK(-) 2400 × 12 × 58 mm	PGPSK(-) 2400 × 14 × 77 mm	PGINCP(-) 2150 × 13 × 48 mm	PGEXPC(-) 2350 × 50 × 9,5 mm	PGKIT(-)B 310 ml
L0348-05013	05013	05013	05013	05013	PGKIT17B
L0348-05014	05014	05014	05014	05014	PGKIT09B
L0348-05015	05015	05015	05015	05015	PGKIT01B
L0348-05016	05016	05016	05016	05016	PGKIT18B
L0348-05017	05017	05017	05017	05017	PGKIT10B
L0348-05018	05018	05018	05018	05018	PGKIT04B
L0348-05019	05019	05019	05019	05019	PGKIT10B
L0348-05020	05020	05020	05020	05020	PGKIT16B

INCIZO® SUBPROFILE | NEINCPBASE9 | 2150 × 71 × 20 mm
The Incizo® subprofile is required for stair application and has to be ordered separately.

PERSTORP

NO BEVEL



length	width	thickness	unique planks	panels / pack	m ² / pack	pack / pallet	m ² / pallet
1200 mm	190 mm	8 mm	10	7	1,596 m ²	48	76,608 m ²



NATURAL OAK
 ● PRO L0270-01804
 ● L0370-01804



NATURAL HONEY OAK
 ● L0370-04085



BEIGE SAND OAK
 ● PRO L0270-04093
 ● L0370-04093



NATURAL BEIGE OAK
 ● L0370-04390



WARM NATURAL OAK
 ● PRO L0270-04394
 ● L0370-04394



VINEYARD OAK
 ● L0370-05023

PERSTORP MATCHING ACCESSORIES



STANDARD SKIRTING



PARQUET SKIRTING



**5-IN-1 INCIZO®
PROFILE**



**COMMERCIAL
EXPANSION PROFILE**



COLOURED SEALANT

ART. NO DIMENSIONS	PGSK(-) 2400 × 12 × 58 mm	PGPSK(-) 2400 × 14 × 77 mm	PGINCP(-) 2150 × 13 × 48 mm	PGEXPC(-) 2350 × 50 × 9,5 mm	PGKIT(-)B 310 ml
L0x70-01804	01731	01731	01731	01731	PGKIT04B
L0370-04085	04085	04085	04085	04085	PGKIT10B
L0x70-04093	04093	04093	04093	04093	PGKIT02B
L0370-04390	04390	04390	04390	04390	PGKIT10B
L0x70-04394	04394	04394	04394	04394	PGKIT09B
L0370-05023	05023	05023	05023	05023	PGKIT09B

INCIZO® SUBPROFILE | NEINCPBASE2 | 2150 × 71 × 20 mm
The Incizo® subprofile is required for stair application and has to be ordered separately.

ESPOO

NO BEVEL



length	width	thickness	unique planks	panels / pack	m ² / pack	pack / pallet	m ² / pallet
1200 mm	190 mm	7 mm	10	8	1,824 m ²	64	116,736 m ²



RIVER OAK
● L0364-04389



NATURAL BEIGE OAK
● L0364-04390



WARM NATURAL OAK
● L0364-04394



WATERFRONT OAK
● L0364-04395

ESPOO MATCHING ACCESSORIES



STANDARD SKIRTING



PARQUET SKIRTING



**5-IN-1 INCIZO®
PROFILE**



**COMMERCIAL
EXPANSION PROFILE**



**COLOURED
SEALANT**

ART. NO	PGSK(-)	PGPSK(-)	PGINCP(-)	PGEXPC(-)	PGKIT(-)B
DIMENSIONS	2400 × 12 × 58 mm	2400 × 14 × 77 mm	2150 × 13 × 48 mm	2350 × 50 × 9,5 mm	310 ml
L0364-04389	04389	04389	04389	04389	PGKIT18B
L0364-04390	04390	04390	04390	04390	PGKIT10B
L0364-04394	04394	04394	04394	04394	PGKIT09B
L0364-04395	04395	04395	04395	04395	PGKIT16B

INCIZO® SUBPROFILE | NEINCPBASE1 | 2150 × 71 × 20 mm
The Incizo® subprofile is required for stair application and has to be ordered separately.